			TAM	210	- 4			,					
FORM P	TO-1449 (mod	lified)			3			Atty.	M#		Client Ref.		
(PM FO	Department o	1 Commerce 1	78_		APP			Dkt. No.					
Patent a	nd Trademark	Office	iÆ	MDE	•								
									0280647		1992-30-0	020CB16	
INFOR	MATION DE	SCLOSURE	: Q T/	ATER	AENT.			Applicant	: ANDERSON	at al	11332-30-0	JZSCF IC	, 2
	PLICANT	SOLOGURE	. 317	~ I CIV	IENI			Applicant	. ANDERSON	stal.			
	LIOAIII							Annin Nie	. 00/044 700				
									o.: 09/911,703				
			_		7 .		1		e: July 25, 200				
	lay 27, 2004		Page	11_	of	1		Examiner	: Schwadron, F	R. Grou	up Art Unit:	1644	
U.S. PA	TENT DOCU												
Examiner's		Document		Date		Nam	е			Class	Sub	Filing	
		Number		MM/	YYYY	(Fan	nily Name	of First Inv	rentor)		Class	Date	
	AR	ļ <u>.</u>											
	BR			<u> </u>				_		-			
	CR			<u>L. </u>		L							
	DR											1	
	ER												
	FR						_						-
	GR												-
	HR											†	
FOREIG	N PATENT	OOCUMENTS	S								1		
		T	Date		Coun	tn/	Inventor	Mama		· · · · · · ·	English	Translatio	
				, YYYY		u y	Inventor	Manie	`		Abstract	Readily	ON
			<u> </u>		┿						ļ	Available	
	<u>IR</u>		 		+		ļ				<u> </u>		<u> </u>
	JR		<u> </u>		┼								1_
	KR				 								
	LR		<u> </u>		 		ļ					<u> </u>	<u> </u>
	MR		—		↓		<u> </u>						
	NR_				 								
	OR_				ļ								
	PR		<u> </u>		<u> </u>								
OTHER													
(R)	QR	Idec Pharma 2003).	ceuti	cals v	. Corix	a Cor	p., Case I	No. 01-163	7-IEG [Doc. No	s. 486, 5	84] (S.D. C	al. Oct. 1	4,
33)	RR	Biogen Idec 2004).	v. Co	rixa C	orp., C	Case I	No. 01-16	37-IEG [Do	oc. Nos. 635, 66	2, 486] (S.D. Cal. Ja	an. 22,	
4	SR								·				
	TR												-
	UR						 						_
	VR												
	WR												긕
	XR											-	\dashv
	YR												
	ZR							 -					\dashv
	AAR												{
Examiner		(()						Date Cons	idered:	1-1			_
*FV ^ ^ ^ ^	<u> </u>	1 0	\succeq								2005		
*EXAMIN not in con		not considere	ildered d. Incl	ว, whe lude c	ther or opy of t	not cit his for	ation is in o	conformanc t communic	e with MPEP § 60 ation to Applican	09. Draw t.	line through	citation if	

To: U.S (PW FO	RM PAT-14	nt of Commerce (49)						Atty. Dkt. No.	M#		Client Ref.			
Patent a	and Tradem	ark Unice							0280647		1992-30-	00	20CP1C	
INFOR	MATION	DISEBOSURE	ТДТЯ	EME	NT				ANDERSON 6	et al.	1992-00	00.	2907 10	.2
	PLICANT	• / -		L:71 L.										
		MAR 1 8 20	ایر س					Appin. No	.: 09/911,703					
		THE PARTY					_	Filing Date	e: July 25, 200	1				
Date: N	March 18, 2	2004 THADEN	ge	1 0	f	1		Examiner	Schwadron, R	. Grou	ıp Art Uni	i: 1	644	
U.S. PA	ATENT DO	CUMENTS												
Examinar's		Document	D	ate		Nam	е			Class	Sub		Filing	
ILATIBIS.		Number	N	M/YY	ΥΥ	(Fam		of First Inv	entor)		Class		Date	
		R 5,595,721	0	1/1997	7	KAM	INSKI e	+ al.	·					
	BI	R 5,439,665	o	8/199	5	HAN	SEN -e	t al.						
		R RE 38,008	<u> </u>	2/2003	3	ABR	م AMS	t al.						
		R 5,736,137		4/1998		AND		et al.						
		R 5,776,456		7/1998		AND	ERSON	er all a						
		R 5,843,439		2/1998				rt al.						
		R 6,399,061		6/2002			ERSON	et 91.						
		R 6,682,734		1/2004	4	AND	ERSON	et al					<u> </u>	
FOREI	GN PATEN	T DOCUMENTS	<u>}</u>				,	····			,		•	
		Document Number	Date MM/YY		Count	try	Inventor I	Name			English Abstract		Translatio Readily Available	
	√660) IR	WO 94/11026	05/199	14 P	CT		ANDERS	ON ex	u					
	JF	₹												
	KI	₹									<u> </u>			
	LF	₹	<u> </u>											
	М	R									<u> </u>			
OTHER														
<u>هج</u> ٠	N	R Grossbard M.I 80:863-878.	, et al.,	, "Mon	oclo	nal ar	ntibody-ba	sed therap	ies of leukemia	and lym	nphoma,"	Blo	od, 1992	2,
*	0	Tedder T.F., e activation of hi	t al., "Ar uman B	ntibodi Iymph	ies re	eactiv es," <i>E</i>	e with the <i>ur J Immu</i>	B1 molecu <i>Inol</i> , 1986,	ule inhibit cell cy 16(8):881-87.	cle prog	ression b	ut r	not	
\bigvee	. PI	Tedder T.F., e differentiation chromosome	antigen,	homo	ologo	us to	the huma	n B1 (CD2	oding a new mo 0) antigen, and	use B ly localiza	mphocyte tion of the	; ge	ne to	
	Q		13, 3 111	muno	<i>II</i> , 13	00, 1	+1(12).430	00-94.				—		—
	RI													
	Si						 	·						
	TF													
	UI	₹		. <u>-</u>		_		· -						
Examine	er	1/\	0 -					Date Cons	idered: ,	3(3/1	2005			
*EXAMI	NER: In	itial if citation cone	idarad v	batha						1/11				_
		itial if citation cons not considered. Ir	iclude co	opy of t	his fo	orm wi	th next con	nmunication	: พเต เทคยค § 60 : to Applicant.	e. Draw	iine throug	n ci	itation if i	ot

FORM PTO-1449 (modified) Atty. M# Client Ref. NOV 2 1 2003 To: U.S. Department of Commerce Dkt. No. (PW FORM PAT-1449) Patent and Trademark Office 0280647 1992-30-0029CP1C2 INFORMATION DISCLOSURE STATEMENT Applicant: ANDERSON et al. BY APPLICANT Appln. No.: 09/911,703 Filing Date: July 25, 2001 Date: November 21, 2003 Page lof Examiner: R. Schwadron Group Art Unit: 1644 U.S. PATENT DOCUMENTS Examinera Document Date Name Class Sub Filing Initials* Number MM/YYYY Class Date (Family Name of First Inventor) MS AR 6,183,744 B1 02/2001 GOLDENBERG Whr BR 6,306,393 B1 10/2001 GOLDENBERG CR DR ER FR FOREIGN PATENT DOCUMENTS Document Date Country **Inventor Name** English Translation Abstract MM/YYYY Number Readily Available GR HR IR JR KR LR OTHER MR Kaminski, et al., "Radioimmunotherapy of Advanced B-Cell Lymphoma with Non Bone Marrow Ablative Doses of 131-I MB-1 Antibody," 1990, Antibody Immunoconjugates, and Radiopharmaceuticals, Vol. 3, No. 1, Abstract No. 83. NR Kaminski, et al., "Radioimmunodetection (RID) and Non Marrow Ablative Radioimmunotherapy (RIT) of B-Cell Lymphoma With 131-I MB-1 Antibody," 1990, Proceedings of ASCO, Vol. 9, p. 271, Abstract No. OR Wahl, et al., "Radioimmunotherapy of B-Cell Lymphoma with I131 MB-1 Monoclonal Antibody," The Journal of Nuclear Medicine: Proceedings of the 37th Annual Meeting, p. 852, Abstract No. 622. PR Kaminski, et al., "Phase I Trial Results of 131-I MB-1 Antibody Radioimmunotherapy (RAIT) of B-Cell Lymphoma," 1990, Antibody Immunoconjugates, and Radiopharmaceuticals, Vol. 4, No. 1, p. 36. QR Kaminski, et al., "Phase I Evaluation of 131-I MB-1 Antibody Radioimmunotherapy (RIT) of B-Cell Lymphoma," 1990, Blood, Vol. 76, No. 10, Abstract No. 1409. Kaminski, et al., "Imaging, Dosimetry, and Radioimunotherapy With Iodine 131-Labeled Anti-CD37 Antibody in B-Cell Lymphoma," 1992, Journal of Clinical Oncology, Vol. 10, No. 11, pp.1696-1711. SR TR UR **VR** Examiner Date Considered: 200) *EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP § 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to Applicant.

To: U.S (PW FC	S. DO	epartr PAT	9 (modified) ment of Commerce -1449) frademark Office		01 P	1 2003	TOFFICE SOLD		Atty. Dkt. No.	M#				Client	Ref.		
INFOF BY AF			N DISCLOSUI	RE ST	à tèn	. 0	, Rt C		Applicant:	_	7003-0280647 nderson, et al.		1	1992-	30-0	029CP1	C2
ואונט									Appin. No	o.: 0	9/911,703						
						_			Filing Dat	e: J	July 25, 2001						
Date: C	Octo	ber 2	21, 2003	Page	1	of	3]	Examiner	: Sc	wadron, R.	Gro	up A	\rt Ur	nit: 1	644	
U.S. P	ATE	NT E	OCUMENTS												Tar same		
Examir s Initials*			Document Number		Date MM/Y	Y YY	Name (Family N	lame (of First Inv	ento	or)	Class		Sub Class	•	Filing Dat (f approp	rlate)
(17)	`	AR	5,500,362		03/19	96	Robinson	ı, et al	•			435	7	7.23	•		
W.	5	BR	5,648,267		07/19	97	Reff					435	_	320.1			
		CR			<u> </u>												
<u>FOREI</u>	<u>GN</u>	PAT	Document Number	TS Date MM/Y	Y YY	Coun	try	Inver	tor Name				Engl Abst		No	Translati R adily Availabl Enclos	ion No
RB	5	DR	0 125 023 A1	11/19	<u>R4</u>	EP	-	Cabil	ly, et al.			-	3	USCU	NO	Elicios	
<u>, , , , , , , , , , , , , , , , , , , </u>	1	-	0 125 023 B1	11/19		EP		-	ly, et al. ly, et al.	-			-				\vdash
•	_	FR	0 125 023 B2	03/20		EP		1	ly, et al. ly, et al.	\dashv			_				\vdash
	_	 	0 173 494 A2	03/19		EP	***.		son, et al.	-			 	_			\vdash
•			0 274 394 A2	07/19		EP			son, et al. ison, et al.	\dashv			_				Н
		IR	0 274 394 A3	07/19		EP			ison, et al. ison, et al.	_			_				Н
		JR	0 451 216 B1	01/19		EP			n, et al.				_	-+			╁┤
			0 682 040 A1	11/19		EP			n, et al.	寸			-				${f H}$
		LR	0 682 040 B1	11/19		EP			n, et al.	7		-					Н
	•		WO 88/04936	07/19		wo			nson, et al.								Н
マ	/			05/19		wo			röm, et al.	_							Н
OTHER			ng in this order A				ical Name				race etc.)						H
135			Adams, R.A. e lymphoblastic leu	t al., Di	rect im	plantat	ion and ser	rial trar	splantation	of	numan acute	_					
	`		Adams, Richa investigation of hi	rd, Forn uman le	nal Disc ukemia	cussion and ly	n: The role /mphoma,	of trar Can. F	es. 27:247	in t 9-24	he experimenta 82 (1967).	l					
			Anderson, K.C posttransplantatio (1987)	., et al., on with a	Hema Inti-B1	tologic purged	engraftme d autologou	nt and is bone	immune re marrow, B	cons Blood	stitution d 69(2):597-604						
	i		Anderson, D.R anti-CD20 antiboo Engineering, Dec	ly, The	Second	noreac d Annu	tivity and e	ffector mation	function as al Conferer	soci nce (iated with a chin on Antibody	neric					
				., et al.,	Expres	ssion o	of human B	cell-as	sociated ar	ntige 6):14	ens on leukemia 424-1433 (1984	s)					
			Appelbaum, F. Hodgkin's Lymph	R., Rad oma. <i>H</i>	iolabel em. Or	d Moi c. Clin	noclonal Ar nics of N.A.	ntibodie 5(5):1	es in the Tro 013-1025 (eatr 199	nent of Non- 1).						
\downarrow	/		lymphoma treated Cancer 50:1695 (with cy 1982).	clopho 	spham	ide, adriam	nycin, v	rincristine a	nd p		tic OP),					
Ψ			Bhan, A.K., et Med., 154;737-74	al., Stag 9 (1981)	ges of E)	3 ceil d	lifferentiatio	n in hi	ıman lympt	noid	tissue, J. Exp.						

no Ilm

	_	-		 		
12/2	م		Boulianne, G.L. et al., Production of functional chimaeric mouse/human antibody, Nature 312:643 (December 1984).			
۳ 2 م	2003	FEICE	Brunner, K.T. et al., Quantitative assay of the lytic action of immune lymphoid cells on ⁵¹ Cr-labeled allogeneic target cells <i>in vitro</i> ; inhibition by isoantibody and drugs, <i>Immunology</i> 14:181-189 (1968).			T
.".v. 78	anew	ARIX	Buchsbaum, D.J., et al., A comparison of ¹³¹ l-labeled monoclonal antibody 17-1A treatment to external beam irradiation on the growth of LS174T human colon carcinoma xenografts, Int. J. Radiation Oncology Biol. Phys., 18:1033-1041 (1990)			
			Buchsbaum, D.J., et al., Comparative binding and preclinical localization and therapy studies with radiolabeled human chimeric and murine 17-1A monoclonal antibodies, Cancer Research (Suppl.) 50:993s-999s (1990)			
			Buchsbaum, D.J., et al., Comparison of ¹³¹ I- and ⁸⁰ Y-labeled monoclonal antibody 17-1A for treatment of human colon cancer xenografts, Int. J. Radiation Oncology Biol. Phys. 25:629-638 (1993)			
			Calvert, J.E., et al., Cellular events in the differentiation of antibody-secreting cells, Seminars in Hematology, 21(4):226-243 (1984)			Ī
			Chomczynski, P. et al., Single step method of RNA isolation by acid guanidinium thiocyanate-phenol-chloroform extraction, Anal. Biochem. 162:158-159 (1987).			Ī
			Clark, E.A., et al., Role of the Bp35 cell surface polypeptide in human B-cell activation, Proc. Natl. Acad. Sci. USA, 82:1766-1770 (1985)			Î
			Cope, Antibody shows promise in treating B-cell lymphoma, Oncology, 8(4):100 (1994)			Τ
			DeNardo, S.J., et al., Pilot studies of radioimmunotherapy of B cell lymphoma and leukemia using I-131 Lym-1 monoclonal antibody, Antibody, Immunoconjugates, and Radiopharmaceuticals, 1(1):17-33 (1988)			
			DeNardo, S.J., et al., The biologic window for chimeric L6 radioimmunotherapy, Cancer 73(3):1023-32 (1994)			Γ
			Dickson, Scientists produce chimeric monoclonal abs, Genetic Engineering News 5/3 (March 1985).			Ī
			Eary, J.F. et al, Imaging and Treatment of B-Cell Lymphoma, J. Nuc. Med. 31/8:1257-1268 (1990).			Ī
·			Einfeld, D.A. et al., Molecular cloning of the human B cell CD20 receptor predicts a hydrophobic protein with multiple transmembrane domains, EMBO 7:711 (1988)			Ī
			Golay, J.T., et al., The CD20 (Bp35) antigen is involved in activation of B cells from the G ₀ to the G ₁ phase of the cell cycle, J. Immunology 135(6):3795-3801 (1985)			Γ
			Goldenberg, D.M. et al., Targeting, dosimetry and radioimmunotherapy of B-Cell lymphomas with iodine-131-labeled LL2 monoclonal antibody, <i>J. Clin. Onc.</i> 9/4:548-564 (1991).		,	
			Greenberger, J.S., et al., Effects of monoclonal antibody and complement treatment of human marrow on hematopoiesis in continuous bone marrow culture, Cancer Research 45:758-767 (1985)			
			Hekman, A., et al., Immunotherapy, The Netherlands Cancer Institute Amsterdam Annual Report, pp. 47-48 (1993)		-	ľ
			Lipton, J.M., et al., Distribution of B1, calla, β2 microglobulin and la on hematopoietic progenitors and hematopoiesis supporting cells (HSC) in short and long-term cultures, Blood, 60(5) (Suppl. 1):170a (Abstract 609) (1982)			
			Kaminski, M.G. et al., "Radioimmunotherapy of B-cell lymphoma with [131] anti-B1 (anti-CD20) antibody, NEJM 329/7 (1993).			ĺ
_			Liu, A.Y. et al., Production of a Mouse-Human Chimeric Monoclonal Antibody to CD20 with Potent Fc-Dependent Biologic Activity. J. Immun. 139/10:3521-3526 (1987).			
			Marx, Antibodies made to order, Science 229 455 (August 1985).			Γ
			Morrison, S.L, et al., Chimeric human antibody molecules: Mouse antigen-binding domains with human constant region domains, PNAS 81:6851-6854 (November 1984).			
		- 1	Morrison, Transfectomas provide novel chimeric antibodies, Science 229:1202-1207 (September 1985).			
			Munro, Uses of chimaeric antibodies, Nature 312:597 (December 1984).	 _		Γ
Ï	/	9	Nadler, L.M., et al., B cell origin of non-T cell acute lymphoblastic leukemia a model for discrete stages of neoplastic and normal pre-B cel differentiation, J. Clin. Invest. 74:332-340 (1984)			



212	\ I &	autologous bone-marrow transplantation for relansed R-cell non-Hodgkin's lymphoma. The		
BADE	MARICA	Nadler, L.M., et al., Seroth rapy of a patient with a monoclonal antibody directed against a human lymphoma-associated antigen, Cancer Research, 40:3147-3154 (1980)		
		Neuberger, M.S. et al., A hapten-specific chimaeric IgE antibody with human physiological effector function, <i>Nature 314</i> :268 (March 1985).		
		Oettgen, H.C., et al., Further biochemical studies of the human B-cell diff rentiation antigens B1 and B2, Hybridoma, 2(1):17-28 (1983)		
		Ozato, K., et al., Monoclonal antibodies to mouse MHC antigens III. Hybridoma antibodies reacting to antigens to the H-2 ^b haplotype reveal genetic control of isotype expression, J. Immunology, 126(1):317-321 (1981)		
		Press et al., Monoclonal antibody 1F5 (Anti-CD20) serotherapy of human B cell lymphomas, <i>Blood</i> 69(2):584-591 (1987)		
		Press, O.W. et al., "Radiolabeled-antibody therapy of B-cell lymphoma with autologous bone marrow support." New England Journal of Medicine 329/17: 1219-12223 (1993).		
		Press, O.W. et al., "Treatment of refractory non-Hodgkin's lymphoma with radiolabeled MB-1 (anti-CD37) antibody, J. Clin. Onc. 7/8:1027-1038 (1989)		
ř		Reff, M., et al., Depletion of a B cells in vivo by a chimeric mouse human comoclonal antibody to CD20, J. Cellular Biochem., Suppl. 17E:260 (Abstract T103) (1993)		
		Reff, M., et al., Depletion of B cells in vivo by a chimeric mouse human monoclonal antibody to CD20, Blood, 83(2):435-445 (1994)		
		Robertson, M.J., et al., Human bone marrow depleted of CD33-positive cells mediates delayed but durable reconstitution of hematopoiesis: Clinical trial of MY9 monoclonal antibody-purged autografts for the treatment of acute myeloid leukemia, Blood, 79(9):2229-2236 (1992)		
	-	Robinson, R.D. et al., "Chimeric mouse-human anti-carcinoma antibodies that mediate different anti-tumor cell biological activities," Hum. Antibod. Hybridomas 2:84-93 (1991).		
	<u> </u>	Sahagan et al., A genetically engineered murine/human chimeric antibody retains specificity for human tumor-associated antigen, <i>J. Immunol.</i> 137:1066-1074 (1986).		
•		Scharff, M., The synthesis, assembly, and secretion of immunoglobulin: A biochemical and genetic approach, <i>Harvey Lectures</i> 69:125-143 (1974).		·
		Schlom J., et al., Advantage of dose fractionation in monoclonal antibody-targeted radioimmunotherapy, J. Natl. Cancer Inst., 82(9):763-771 (1990)		
		Shulman, M. et al., A better cell line for making hybridomas secreting specific antibodies, Nature 276:269 (1978).		
		Smeland, E.B., et al., Activation of human B cells: Alternate options for initial triggering and effects of nonmitogenic concentrations of anti-IgM antibodies on resting and activated cells, J. Immunology, 138(10):3179-3184 (1987)		
		Srivastava, S.C., et al., Progress in research on ligands, nuclides and techniques for labeling monoclonal antibodies, <i>Nucl. Med. Bio. 18(6)</i> : 589-603 (1991).		
		Sun, L.K. et al., Chimeric antibodies with 17-1A-derived variable and human constant regions, Hybridoma 5/1:517 (1986).		
		Tan et al., A human-mouse chimeric immunoglobulin gene with a human variable region is expressed in mouse myeloma cells, <i>J. Immunol. 135</i> :8564 (November 1985).		
		Tedder, T.F., et al., The B cell surface molecule B1 is functionally linked with B cell activation and differentiation, J. Immunology, 135(2):973-979 (1985)		
\perp		Urlaub, G. et al., Effect of gamma rays at the dihydrofolate reductase locus: deletions and inversions." Som. Cell & Mol. Gen. 12/6:555-566 (1986).		
\perp		Valentine, M.A. et al., Phosphorylation of the CD20 phosphoprotein in resting B lymphocytes, J. Biol. Chem. 264(19):11282-11287 (1989).		
4		Wessels, B.W., et al., Radionuclide selection and model absorbed dose calculations for radiolabeled tumor associated antibodies, Med. Phys., 11(5):638-645 (1984)		
amine	r NER:	Initial if citation considered, whether or not citation is in conformance with MPEP § 609. Draw li		

PAT-1449 12/9870048311v1